



## All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001  
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 [www.aicte-India.org](http://www.aicte-India.org)

### DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for existing institutes only)

Regional office	North-West
-----------------	------------

Application Id	1-2814307637
Permanent Id	1-4459001
Name of the Institute	POORNIMA INSTITUTE OF ENGINEERING & TECHNOLOGY
Address	ISI-2, RIICO INSTITUTIONAL AREA SITAPURA, GONER ROAD
City/Village	JAIPUR
District	JAIPUR
State	Rajasthan
Pin	302022

	Name	Qualification	Appointment type	PhD
Principal/Director	DR. AJAY KUMAR BANSAL	B.E., M.TECH., PH.D.	Regular	Yes

Overall Deficiency of Institute:	No
----------------------------------	----

#### Other Details

Details of Requirement	Status provided by the Institute	Deficiency
List of faculty and data uploaded on the institute web portal	Yes	No
Are all approved teaching faculty being paid as per VI pay commission?	Yes	No

Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
Courses/Approved Intake displayed at the entrance of the institute?	Yes	No

**Anti-Ragging Related Deficiency Status**

Details of Requirement	Status provided by the Institute	Deficiency
Constitution of Anti-Ragging Committee	Yes	No
Constitution of Anti-Ragging Squad	Yes	No
Undertaking obtained from all Students	Yes	No
Appointment of Counselors	Yes	No
Undertaking obtained from parents of all the students	Yes	No
Undertaking obtained from students staying in Hostel:	Yes	No
Undertaking obtained from parents of students staying in Hostel	Yes	No

**Ombudsman Related Deficiency Status**

Details of Requirement	Status provided by the Institute	Deficiency
Grievance Committee	Yes	No

**Total Number of Students in Institute**

Number of Students UG	1680
Number of Students PG	0
Number of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)	1680

**Faculty**

**Institute Level Faculty**

Type	Actual number	Required number as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	112	112	No
Minimum 80% Regular Faculty	90	90	No

**Program Level Faculty**

Sr.Number	Course Unique Id	Program	Course	Level	Course Duration	Full Time / Part Time	Approved Intake (15-16)	Approved Intake (14-15)	Approved Intake (13-14)	Approved Intake (12-13)	Approved Intake (11-12)	Faculty
1	1-1451678066	ENGINEERING AND TECHNOLOGY	COMPUTER ENGINEERING	UNDERGRADUATE	4	FULL TIME	120	120	120	120	120	32
2	1-1451678069	ENGINEERING AND TECHNOLOGY	ELECTRONICS AND COMMUNICATIONS ENGINEERING	UNDERGRADUATE	4	FULL TIME	120	120	120	120	120	32
3	1-1451678071	ENGINEERING AND TECHNOLOGY	ELECTRICAL ENGINEERING	UNDERGRADUATE	4	FULL TIME	60	60	60	60	60	16
4	1-1451678075	ENGINEERING AND TECHNOLOGY	CIVIL ENGINEERING	UNDERGRADUATE	4	FULL TIME	120	120	120	120	120	32

**Administrative Area**

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Principal / Director Office	34	30	No
Central Store	30	30	No
Maintenance	10	10	No
Security	10	10	No
Housekeeping	10	10	No
Exam Control Office	45	30	No
Placement Office	32	30	No
Office All Inclusive	531	150	No

**Amenities Area**

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	149.58	75	No
Girls Common Room	151	75	No
Cafeteria	240.42	150	No
Stationery Store	10	10	No
First aid cum Sick Room	10	10	No

**Computational Facilities**

Type	Available	Required	Deficiency
Internet Bandwidth	35	32	No
Printers	32	28	No

Type	Available	Required	Deficiency
A1 size Color Printers	0	0	No
Legal Application S/W	30	20	No
Legal System S/W	4	3	No
PCs to Student ratio	320	280	No

#### ***Library Facilities***

Type	Available	Required	Deficiency
Volumes	27250	10000	No
Titles	3668	1800	No
National Journals	43	24	No
Library Management Software	1	1	No
Reading Room Capacity	150	150	No
MultiMediaPC	10	10	No

#### ***Instructional Area-Common Facilities***

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Computer Center	171	150	No
Library & Reading Room	455	400	No

#### ***Land Area Details***

Type	Actual Room Area (Acres)	Expected Room Area (Acres)	Deficiency
Total Area of Land	5.03	2.5	No
Maximum number of Pieces	1	2	No
Minimum per Piece of Area	5.03	2.5	No

#### ***ENGINEERING AND TECHNOLOGY / Existing Programme***

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	1752	1584	No
Workshops	UG/PG	203	200	No
Drawing Halls	UG/PG	152	132	No
Seminar Hall	UG/PG	496	264	No
Laboratories-All	UG/PG	3546	2640	No

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

\* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

\*\* Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

\*\*\* Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

#### ***Other Facilities***

Type	Availability	Deficiency
All Weather Approach (Motorised Road)	Yes	No
Barrier free Environment	Yes	No
Electric Supply	Yes	No
General Insurance	Yes	No
Institution Web Site	Yes	No
Language laboratory (Minimum 25 PCs up to total intake of 1000. Further additional 25 PCs per intake of 1000)	Yes	No
Medical & Counseling	Yes	No
Notice Boards	Yes	No
Potable Water Supply	Yes	No
Safety Provisions	Yes	No
Sewage Disposal System	Yes	No
Telephone & FAX	Yes	No
Vehicle Parking	Yes	No
First Aid	Yes	No
Appointment of Student Counsellor	Yes	No
Establishment of Anti Ragging committee	Yes	No
Establishment of committee for SC/ST	Yes	No
Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No

Type	Availability	Deficiency
Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No

## DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2016-2017

### Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	35	32	No
Printers-Applied Intake	32	28	No
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	30	20	No
Legal System S/W-Applied Intake	4	3	No
PCs to Student ratio-Applied Intake	320	280	No

### Library Facilities

Type	Available	Required	Deficiency
Volumes	27250	10000	No
Titles	3668	1800	No
National Journals	43	24	No
Library Management Software	1	1	No
Reading Room Capacity	150	150	No
MultiMediaPC	10	10	No

### Instructional Area

#### ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	1752	1584	No
Workshops	UG/PG	203	200	No
Drawing Halls	UG/PG	152	132	No
Seminar Hall	UG/PG	496	264	No
Laboratories-All	UG/PG	3546	2640	No

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

\* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

\*\* Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

\*\*\* Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

**Information regarding intake applied**

Sr Num	Course Unique Id	Program	Course	Level	Shift	Approved Intake 15-16	Intake Applied 16-17	Application type	Accreditation status	NRI	PIO	Foreign Collaborati
1	1-1451678066	ENGINEERING AND TECHNOLOGY	COMPUTER ENGINEERING	UNDERGRADUATE	1st Shift	120	120	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	Not interested
2	1-1451678069	ENGINEERING AND TECHNOLOGY	ELECTRONICS AND COMMUNICATIONS ENGINEERING	UNDERGRADUATE	1st Shift	120	120	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	Not interested
3	1-1451678071	ENGINEERING AND TECHNOLOGY	ELECTRICAL ENGINEERING	UNDERGRADUATE	1st Shift	60	60	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	Not interested
4	1-1451678075	ENGINEERING AND TECHNOLOGY	CIVIL ENGINEERING	UNDERGRADUATE	1st Shift	120	120	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	Not interested



**DECLARATION**  
**BY THE PRINCIPAL/DIRECTOR OF THE INSTITUTE**

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 27th September 2012, published in the Gazette of India - Extraordinary Part 3, Section (iv) and also the various provisions mentioned in the Approval Process Hand Book 2016-17.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision of correction for data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Dual Degree course, Integrated Course, Change of site, Closure of course, Supernumerary Seats under PIO/FN, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa(as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2016-17.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that the institute is eligible for grant of Extension of Approval, Increase/Reduction of intake, Addition of new courses, Closure of course, supernumerary seats under PIO/FN, NRI, Change of name, Dual Degree course, Integrated course, Change of site, Conversion of women institute into Co-ed institute and vice versa (as applicable) only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2016-17.

(Principal/Director)